



KARTAR®

An ISO 9001 Company



“Controlling fluids
is our expertise”

Price List of

- ❖ CAST IRON & DUCTILE IRON VALVES (K500)
- ❖ HIGH PRESSURE VALVES
- ❖ CAST IRON & DUCTILE IRON AIR VALVES (K540)
- ❖ GUN METAL (BRONZE) & BRASS VALVES (K600)
- ❖ BUTTERFLY & CHECK VALVES (K700)
- ❖ CAST IRON & SS BALL VALVES (K800)

*See Terms & Conditions on IInd Last Page

PRICE LIST NO. : **KV/39**
W.E.F 15 - 07 - 2022

ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



SINCE
1972



an ISO 9001 Company

Welcome to
KARTAR®
VALVES


Since 1972, we are manufacturing world class valves & fittings, with our satisfied customer base spread all over the world. Our state-of-the-art machine shop ensures best quality and consistency of machined parts.



"Controlling fluids is our expertise" 

Controlling fluids is our expertise

KARTAR[®]
AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



IBR
APPROVED

PRICE LIST NO. : KV / 39 C.I./D.I.

PRICE LIST OF CAST IRON & DUCTILE IRON PRODUCTS

W.E.F 15 - 07 - 2022

Item Code	CAST IRON SLUICE VALVE FLANGED ENDS STEM OF SS(AISI410) & BRONZE (GUN METAL) WORKING PARTS IS : 14846																
	TYPE PD	OPERN.	Pn RATING	'KARTAR' MARKED													
				50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
K502	Non-Rising	H/W	1.0	5170	6230	7435	10045	12410	15030	26770	38395	48180	86430	104390	122450	202975	234260
K504		H/W	1.6	5580	6730	8025	10830	13400	16210	28675	41080	51550	92680	112730	132235	274050	316340
K505	Rising Spindle (AS PER IS)	H/W	1.0	6740	8105	9670	13060	16145	19560	34810	49920	62650	111975	135695	159190	274005	316255
K506		H/W	1.6	7260	8740	10430	14080	17435	21075	37270	53395	67035	120085	146535	171915	356230	411265
K507	GEAR (Box Type)			14675						18350				24860			
K508	GEAR (Bevel Type)			7345			8620			NA							

Item Code	D.I. RESILIENT (SOFT) SEATED GATE VALVE WITH POCKET LESS BODY, SS STEM (AISI 410), EPDM COATED DI WEDGE 100% VACCUUM TIGHT DESIGN WITH TOROIDAL SEALING RINGS & OVER 250 MICRON EPOXY COATING IN PN 16 DESIGNED TO BS:5163/IS:14846 NON-RISING STEM TYPE WITH HAND WHEEL OPERATION																	
	TYPE	Pn RATING	'KARTAR' (Resilient Seated Valves)															
			50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm		
K511	Non-Rising	16	4945	5965	7110	9575	11865	14300	25400	42920	64480	10100	143360	182790	287500	399405		
K511 R	Rising	16	5755	7045	8400	11310	14020	16895	30000	50695	76160	137870	195690	249510	392440	545190		
K511 G	GEAR			16905						30425				36655				
Item Code	TYPE	Pn RATING	700mm				800mm				900mm				1000mm			
			'KARTAR'															
K511	Non-Rising	1.0	826335	1235290	1904895	2646405												
K511 G	GEAR			WITH GEAR														

ADDITIONAL CHARGES FOR EXTRA'S

- 10% EXTRA FOR SLUICE VALVE WITH FORGED BRASS STEM.
- 5% EXTRA FOR STEM (AISI-202) & 10% for (AISI-304).
- 15% EXTRA FOR BODY & SEAT IN SS.
- 5% EXTRA FOR AIR TESTING
- 5% EXTRA FOR BACK SEAT ARRANGEMENT.
- 5% EXTRA FOR POSITION INDICATOR, MINIMUM 500/- NET (Only available with H/W)
- 10% EXTRA FOR SCREWED BODY & SEAT RINGS.
- 25% EXTRA ON THESE RATES FOR EXTERNAL BYE PASS ARRANGEMENT
- 2% EXTRA CHARGE FOR BYE PASS HOLES WITH THREAD & PLUG.
- 5% EXTRA FOR SLUICE VALVE WITH GLANDLESS DESIGN (ONLY APPLICABLE ON NON-RISING STEM)

FOR DRILLINGS OTHER THAN IS : 1538 SEE TABLE ON LAST PAGE

SLUICE VALVE FLANGED ENDS, STEM OF SS(AISI 410) & BRONZE (GUN METAL) WORKING PARTS IS : 14846 WITH HANDWHEEL OPERATION

Salient Feature :

- 36 Months Guarantee
- Can be installed Vertically, Horizontally, Open end or in any direction.
- Suitable for fire fighting lines with full pressure
- Design & thickness similar to those given in IS:780

Item Code	PN Rating	BODY	'KARTAR'			
			80mm	100mm	150mm	200mm
K504-X	1.6	C.I.	8660	12230	17600	32050
K504-XX	2.0	D.I.	10395	14710	21185	38460
K504-XXX	2.5	D.I.	11880	16815	24200	43955

Item Code	CAST IRON NON RETURN (REFLUX) VALVES, FLANGED ENDS IN SWING TYPE DESIGN IS:5312 PART-1														
	'KARTAR' (K) MARKED														
	SEAT	PN	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm
K514	RUBBER	1.0	3950	4915	6135	7845	11730	13645	26750	39815	51560	89520	107115	125930	225805
K516	RUBBER	1.6	4300	5335	6620	9760	12690	15670	28710	42690	55310	114430	129700	183090	348700

Add 20% for Epoxy Coating on These Valves.

Add 5% Extra for Normal Blue Paint on These Valves.

Item Code	DUCTILE IRON BALL TYPE CHECK VALVES (NRV) FLANGED END IN PN 16 (WITH EPOXY COATING)										
	'KARTAR'										
	50mm	65mm	80mm	100mm	150mm	200mm					
K520	3020	3810	4260	6620	13810	25490					

Item Code	CAST IRON FOOT VALVES FLANGED ENDS SWING TYPE OPERATION WITH RUBBER SEAT AS PER IS :4038										
	'KARTAR'										
	DISC	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	
K518	SINGLE	2700	3105	4055	6615	10030	12105	-----	-----		
K519	DOUBLE	-----	-----	-----	-----	-----	-----	30050	42600	60480	

Item Code	DUCTILE IRON BALL TYPE FOOT VALVES FLANGED END IN PN 10 (WITH EPOXY COATING)					
	'KARTAR'					
	50mm	65mm	80mm	100mm	150mm	200mm
K521	3020	3810	4260	6620	13810	25490

Item Code	CAST IRON FLANGED Y TYPE STRAINERS WITH SS MESH IN PN 1.0													
	'KARTAR'													
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	
K527	2830	3595	3770	5840	9270	11460	23300	34240	48240	-----	-----	-----	-----	

ADD 5% FOR PN 1.6 PRESSURE RATING

Item Code	CAST IRON FLANGED T TYPE STRAINERS WITH SS MESH IN PN 1.0													
	'KARTAR'													
	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	
K528	2680	3340	4020	5770	8175	10790	23300	29280	40250	74620	80515	107870	156555	

ADD 5% FOR PN 1.6 PRESSURE RATING

AIR VALVES

Item Code	CAST IRON DOUBLE ORIFICE KINETIC AIR VALVE ISI MARKED IS:14845 TYPE DK IN PN1.0 FLANGED END										
	FLOATS	'KARTAR' (K) MARKED									
		40mm	50mm	80mm	100mm	150mm	200mm				
K541	RUBBER	6005	7060	10405	16310	30305	56540				
K542	SS	8130	9310	13750	21030	38000	77510				

1. ADD 5% FOR PN 1.6 PRESSURE RATING.

GUN METAL (BRONZE) & BRASS PRODUCTS

Item Code	GUN METAL (BRONZE) GATE, GLOBE & CHECK VALVES IS : 778/1980 CL-1									
	'KARTAR'									
	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm	
K601	GATE VALVE SCREWED	825	1150	1600	2470	3280	5085	8035	12310	23940
K604	GLOBE / WHEEL VALVE	825	1150	1635	2500	3350	5130	8120	12440	24150
K606	GLOBE VALVE FLANGED	3200	3960	6310	9490	11025	13920	24280	33590	57970

Item Code	PRESSURE REDUCING VALVE (PISTON TYPE) FOR PLUMBING APPLICATIONS									
	'KARTAR'									
	BODY	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	
K608	FORGED BRASS BODY	1590	1800	2860	4525	5860	8790	18285	22685	

Item Code	BALL VALVES SCREWED WITH SS /BRASS BALL & SPINDLE AND TEFLON SEATS									
	'KARTAR'									
	BODY	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K609	GUN METAL BODY (Tested to 500 Psi)	665	840	1180	2090	2900	4475	-----	-----	-----

Item Code	BRASS BALL VALVES SCREWED FULL BORE WITH BRASS BALL & SPINDLE AND TEFLON SEATS WITH CHROME PLATED									
	'KARTAR'									
	BODY	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K611	BRASS FORGED BODY (PN 1.6) FB Chrome Plated.	390	555	880	1525	2160	3155	6440	11140	17470

Item Code	G. M. SPRING LOADED AIR RELEASE VALVE								
	'KARTAR'								
	15mm	20mm			25mm				
K616	1370	1870			2840				

WAFERTYPE BUTTERFLY VALVES WITH INTEGRALLY MOULDED LINER OF NITRILE OR EPDM. D.I./S.S. DISC WITH STEM SS 410, LEVER OPERATED AS PER IS : 13095 IN PN 2.0

Item Code	BODY	DISC	WITH LEVER						WITH GEAR		
			'KARTAR'								
			50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
K701-XS	D.I.	S.S.	2880	3270	3720	4630	5780	6380	18295	26320	33230
K701-XD	D.I.	D.I.	2630	3015	3410	4245	5075	5500	14070	20160	26470

Item Code	WAFERTYPE BUTTERFLY VALVES																
	BODY CAST IRON, DISC SG IRON, STEM SS 410, LINER EPDM/NITRILE, LEVER OPERATED																
	DISC	'KARTAR' MARKED											WITH GEAR BOX ONLY				
25mm		40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm	
K706 PN 10	D.I.	1235	1235	1420	1630	1820	2225	2850	3250	6260	10030	14870	28950	38670	47860	91940	116200
K706 PN 16	D.I.	1300	1300	1490	1715	1910	2340	2995	3415	6573	10532	15614	31845	42537	52646	101134	127820
K707 PN 10	CF8 (304)	1440	1440	1650	1895	2130	2620	3645	4570	9775	15180	20635	33300	44160	54950	110950	139565
K707 PN 16	CF8 (304)	1515	1515	1735	1990	2240	2750	3830	4800	10264	15939	21667	36630	48576	60445	122045	153522

* LEVER IS RECOMMENDED UPTO 200mm., BUT AVAILABLE UPTO 300mm. ABOVE THAT RATES ARE WITH GEAR

Item Code	GEAR FOR BUTTERFLY VALVES						
	25mm to 200mm			250mm to 300mm			
K709	4670			5620			(ALL RATES ABOVE 300MM ARE WITH GEAR)

Item Code	COMPACT WAFER TYPE D.I. CHECK VALVES PN 1.0															
	'KARTAR'															
	DOORS	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
K710	M.S.	-----	-----	-----	-----	-----	2340	3065	4240	7935	11960	17940	22590	29505	45300	63460
K710 S	S.S.	770	870	1025	1320	1740	-----	3690	-----	-----	-----	-----	-----	-----	-----	-----

ADD 5% EXTRA FOR PN 1.6 PRESSURE RATING.

Item Code	DUAL PLATE CHECK VALVES WITH NITRILE/EPDM SEAT, STAINLESS STEEL SHAFT & SPRINGS															
	'KARTAR'															
	DESIGN	PN	WAFER TYPE						FLANGED TYPE							
	BODY AND DOOR		50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
K711	BODY C.I. AND DOORS D.I.	1.0	1365	1560	2115	2975	5015	5400	9045	26085	31985	55940	83850	-----	-----	-----
K711 S	BODY C.I. AND DOORS S.S.	1.0	1650	1875	2635	3730	-----	6865	11760	PRICES ON REQUEST						
K712	BODY AND DOORS DUCTILE	1.6	2130	2410	3275	4605	7745	8340	13980	40335	49460	86505	129660	131110	175380	226920
K712 S	BODY D.I. AND DOORS S.S.	1.6	2410	2720	3795	5345	9210	9810	16675	PRICES ON REQUEST						

ADD 25% FOR FLANGED INSTEAD OF WAFER TYPE. ● ADD 5% EXTRA FOR PN 1.6 PRESSURE RATING IN C.I. BODY VALVES.

DUAL PLATE CHECK VALVES WITH NITRILE/EPDM SEAT, STAINLESS STEEL SHAFT & SPRINGS IN PN 2.0

'KARTAR'

Item Code	BODY	50mm	65mm	80mm	100mm	125mm	150mm	200mm
K711-X	D.I.	1835	2090	2840	3980	6730	7245	12130

ADD 25% FOR FLANGED INSTEAD OF WAFER TYPE.

**CAST IRON BALL VALVES WITH TEFLON SEALS, STAINLESS STEEL BALL & STEM,
MS LEVER WITH PVC COATING AS PER IS : 9890 ISI MARKED**

Item Code	TYPE	'KARTAR'  MARKED								
		15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K801	SCREWED 2PC DESIGN	380	470	580	1040	1250	1860	4085	5995	10605
K802	FLANGED 3PC DESIGN	1120	1350	1630	2300	2710	3750	6470	7650	14350

**INVESTMENT CASTED STAINLESS STEEL BALL VALVE (WOG 1000) RATING WITH STAINLESS STEEL BALL,
PTFE SEALS AND STAINLESS STEEL HANDLE**

Item Code	TYPE	'KARTAR'								
		15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K804	SCREWED 2 PC.	665	860	1220	1850	2410	3870	-----	-----	-----



KARTAR®

An ISO 9001 Company



Complete Range of
Fire Extinguishers



AVAILABLE NOW

India's most Admired Brand



LIQUID | GAS | STEAM | FIRE

Manufacturers :

Kartar Valves Pvt. Ltd.
(INDIA)



www.kartarvalves.com

